



Harz brush cutters are built to work in tough working condition, besides trimming grass around homes, gardens and landscape maintenance, backpack brush cutters are well suited on steep, overgrown slopes and narrow ditches locations.



Model	HZ-328
Discharging Capacity	30.5 сс
Standard Power	1.1 kw / 7500 rpm
Tank Capacity	1.2 L
Weight	9.5 kg

Model HZ-430T

Discharging Capacity 42.7 cc

Standard Power 1.25 kw / 7500 rpm

Tank Capacity 1.2 L

Weight 10.5 kg









Harz brush cutters are built to work in tough working condition, besides trimming grass around homes, gardens and landscape maintenance, backpack brush cutters are well suited on steep, overgrown slopes and narrow ditches locations.

Alumium Pipe (24mm)



Model	HZ-1017-541
Discharging Capacity	43.5 cc
Standard Power	1.7 kw / 7000 rpm
Tank Capacity	0.95 L
Weight	10 kg





Harz brush cutters are built to work in tough working condition, besides trimming grass around homes, gardens and landscape maintenance, backpack brush cutters are well suited on steep, overgrown slopes and narrow ditches locations.





Huayi Carburator



More Comfortable Loop Handle

Model	HZ-1016
Discharging Capacity	30.5 cc
Standard Power	0.81 kw / 7500 rpm
Tank Capacity	1.2L
Weight	10 kg
vvoigni	. o kg



Heavy Duty Throttle Lever



Heavy Duty Guard Protector





BRUSH CUTTER

Harz brush cutters are built to work in tough working condition, besides trimming grass around homes, gardens and landscape maintenance, backpack brush cutters are well suited on steep, overgrown slopes and narrow ditches locations.



Model	HZ-1030	HZ-1040
Engine	IE34F	IE36F-2A
Discharging Capacity	26 cc	33 cc
Standard Power	0.75 kw / 7000 rpm	0.9 kw / 6500 rpm
Tank Capacity	0.65 L	0.95 L
Weight	6 kg	7 / 9 kg





BRUSH CUTTER

Harz brush cutters are built to work in tough working condition, besides trimming grass around homes, gardens and landscape maintenance, backpack brush cutters are well suited on steep, overgrown slopes and narrow ditches locations.



Model	HZ-1032-260	HZ-1032-520
Engine	IE33F-TB	IE44F-TB
Discharging Capacity	26 cc	52 cc
Standard Power	0.75 kw / 7500 rpm	1.47 kw / 7500 rpm
Tank Capacity	0.65 L	1.2 L
Weight	8.25 kg	10 kg









Model	TB-33	TB-43
Engine Maker	Mitsubishi Heavy Industries	Mitsubishi Heavy Industries
Engine Model	TB-33 PSF (Made in Japan)	TB-43 PSF (Made in Japan)
Engine	32.6 cc	42.7 cc
Carburetor	TEIKEI - Float Type	TEIKEI - Float Type
Ignition System	IKEDA	IKEDA
Starting System	EZ Recoil Starter	EZ Recoil Starter
Fuel Tank	1.2 Litre	1.2 Litre
Main AL. Pipe	Ø24 x 1500 mm	Ø24 x 1500 mm
Flex. Outer Shaft	895.0 mm or 35.0 inch	895.0 mm or 35.0 inch
Flex. Inner Cable	906.0 mm or 35.5 inch	906.0 mm or 35.5 inch
Dry Weight	9.8 kg	10.5 kg

Model	TU-33	TU-43
Engine Maker	Mitsubishi Heavy Industries	Mitsubishi Heavy Industries
Engine Model	TU-33 PSF	TU-43 PSF
Engine	32.6 cc	42.7 cc
Carburetor	TEIKEI - Float Type	TEIKEI - Float Type
Ignition System	IKEDA	IKEDA
Starting System	EZ Recoil Starter	EZ Recoil Starter
Fuel Tank	1.2 Litre	1.2 Litre
Main AL. Pipe	Ø24 x 1500 mm	Ø24 x 1500 mm
Flex. Outer Shaft	895.0 mm or 35.0 inch	895.0 mm or 35.0 inch
Flex. Inner Cable	906.0 mm or 35.5 inch	906.0 mm or 35.5 inch
Dry Weight	9.8 kg	10.5 kg





POWER PRODUCTS

Maker	GX-35
Engine	Honda (4-Stroke)
Displacement	35 cc
Ignition System	Transistorized Flywheel Magneto
Carburetor	Diaphragm (Made in Japan)
Fuel Tank Capacity	1.0 Litre
Engine Oil Capacity	0.1 Litre
Starting System	Recoil Start
Lever Type	Throttle Lever
Dry Weight	10.1 kg



HAND PUSH BRUSH CUTTER



HEDGETRIMMER



Model	HZ-1410	HZ-1410-500
Engine	1E32FL	1E32FL
Power	0.65 kw / 7500 rpm	0.65 kw / 7500 rpm
Displacement	22.5 cc	22.5 cc
Cutting Width	600 mm	500 mm
Scissor Type	Dual Back & Forth	Dual Back & Forth
Weight	5.6 kg	5.2 kg



HAND PUSH WEEDING MACHINE



Model	HZ-1022
Engine	1E44F-5
Power	1.7 kw / 6500 rpm
Displacement	52 cc
Mixed Fuel Ratio	25:1 ~ 50:1
Weeding Width	300 mm
Weeding Depth	40 mm
Tank Capacity	1.1 L
Packaging Dimension	69.5 x 42 x 35 cm
Gross Weight	20.4 kg







Model	HZ-1110-16NP130	HZ-1110-16BS450	HZ-1120-18NP170
Deck Type	Steel	Steel	Steel
Drive Type	Hand Push	Hand Push	Hand Push
Gearbox Brand	No	No	No
Engine Brand	Zongshen NP130	BS450E	Zongshen NP170
Displacement	130 сс	125 cc	170 cc
Starter	Hand Start	Hand Start	Hand Start
Blade Type	Straight Blade	Straight Blade	Round disc Blade
Cutting Height	25-65 mm	25-65 mm	20-80 mm
Height Adjustment	6 Position	6 Position	10 Position
Cutting Width	16 inch (410 mm)	16 inch (410 mm)	18 inch (460 mm)
Catcher Type	Grass Bag (40 L)	Grass Bag (40 L)	Plastic Box (45 L)
Wheel Diameter	Front 6" and Rear 7"	Front 6" and Rear 7"	Front 7" and Rear 8"





LAWN MOWER



Model	HZ-1120-18BS450	HZ-1120-18BS500
Deck Type	Steel	Steel
Drive Type	Hand Push	Hand Push
Gearbox Brand	No	No
Engine Brand	BS450E	BS500E
Displacement	125 cc	140 cc
Starter	Hand Start	Hand Start
Blade Type	Round Disc Blade	Round Disc Blade
Cutting Height	20-80 mm	20-80 mm
Height Adjustment	10 Position	10 Position
Cutting Width	18 inch (460 mm)	18 inch (480 mm)
Catcher Type	Plastic Box (45 L)	Grass Bag (65 L)
Wheel Diameter	Front 7" and Rear 8"	Front 7" and Rear 8"