



1. 40cc Gasoline engine

Reliable gasoline engine provides durable power to the pump.

2. Metal basket handle

Newly designed metal handle makes it easy to carry and brings flexible use.

3. Changeable outlet

1" and 1.5", round and square versions available. All outlets are now updated to aluminum version.

4. Aluminum volute

Advanced aluminum material makes the volute more efficient and durable.

5. Portable frame

Coated metal frame provides a steady positioning and maintains a glossy look. Light nylon frame also available.

Model	HZ-6510-25
Engine	1E40F-6
Engine Type	2-Stroke
Displacement	40.2 cc
Power	1.45 kw / 7000 rpm
Water Inlet/Outlet Diameter	1"
Flow	8 m³ /h
Max. Head	30 m
Suction Length	8 m
Package Dimensions	38 x 30 x 30 m
Weight	7.4 kg

Harz water pumps are designed for agricultural irrigation, gardening tasks and draining works. With versatile gasoline engines providing reliable power, you'll never worry about the heavy workload.



HZ-6511-25



HZ-6512-25



HZ-6513-25

Model	HZ-6511-25	HZ-6512-25	HZ-6513-25
Type	Self Priming	Self Priming	Self Priming
Flow	8m³/h	5m³/h	19m³/h
Lift	30 m	30 m	35 m
Suction Length	8 m	8 m	8 m
Matched Engine	1E44F-2A	1E36F	1E44F
Displacement	51.7 cc	30.5 cc	52 cc
Max. Power	1.4 kw / 6500 r/min	0.81 kw / 6000 r/min	1.4 kw / 7000 r/min
Inlet & Outlet Size	1" / 1-1/2" inch	1" inch	1.5" inch
Fuel Tank Capacity	1.2 L	2.0 L	1.0 L
Net Weight	7 kg	7.4 kg	8.2 kg
Package	38 x 30 x 33.5 cm	35 x 24 x 40 cm	60 x 35 x 31.5 cm



Model	HZ-6520-50	HZ-6520-75
Max. Output	5.5 HP / 7HP	6.5 HP / 7HP
Water Inlet/Outlet Diameter	2"	3"
Max. Delivery Lift	22 m	26 m
Suction Height	7 m	7 m
Max. Water Displacement	30 m³/hr	60 m³/hr
Dimensions	48 x 38 x 40 cm	51 x 38 x 43.5 cm
Weight	21.8 kg	24 kg