

Gas Fryer



| | GF-71 | GF-72 | GF-181 | GF-182 |
|--------------------|----------|----------|----------|----------|
| Capacity (l) | 10 | 10+10 | 18 | 18+18 |
| Temperature (°C) | - | - | 60-220 | 60-220 |
| Control Switch | 1 | 2 | 1 | 2 |
| Gas | LPG | LPG | LPG | LPG |
| Gas Pressure (kpa) | 2.8-3 | 2.8-3 | 2.8-3 | 2.8-3 |
| Weight (kg) | 12.5 | 22 | 29 | 36 |
| Dim (LxWxH) (cm) | 29x47x48 | 58x47x48 | 34x63x65 | 68x66x65 |



| | |
|--------------------|----------|
| Capacity (l) | 17 |
| Temperature (°C) | 160-220 |
| Control Switch | 1 |
| Gas | LPG |
| Gas Pressure (kpa) | 2.8-3 |
| Weight (kg) | 16.6 |
| Dim (LxWxH) (cm) | 51x51x44 |

| BDH-17L | AT-12LX2 | AT-17L |
|--------------------|----------|----------|
| Capacity (l) | 12+12 | 17 |
| Temperature (°C) | 160-220 | 160-220 |
| Control Switch | 2 | 1 |
| Gas | LPG | LPG |
| Gas Pressure (kpa) | 2.8-3 | 2.8-3 |
| Weight (kg) | 29 | 18.7 |
| Dim (LxWxH) (cm) | 66x50x46 | 53x65x45 |

| | |
|--------------------|----------|
| Capacity (l) | 40 |
| Temperature (°C) | 160-220 |
| Control Switch | 1 |
| Gas | LPG |
| Gas Pressure (kpa) | 2.8-3 |
| Weight (kg) | 38 |
| Dim (LxWxH) (cm) | 55x60x97 |

| MPT-23CJB | WGF-461 |
|--------------------|----------|
| Capacity (l) | 46 |
| Temperature (°C) | 0-200 |
| Control Switch | 1 |
| Gas | LPG |
| Gas Pressure (kpa) | 2.8-3 |
| Weight (kg) | 48 |
| Dim (LxWxH) (cm) | 45x70x98 |



| | |
|--------------------|----------|
| Capacity (l) | 60 |
| Temperature (°C) | 160-220 |
| Control Switch | 1 |
| Gas | LPG |
| Gas Pressure (kpa) | 2.8-3 |
| Weight (kg) | 71 |
| Dim (LxWxH) (cm) | 85x60x97 |

| MPT-36JP | MPT-46JP |
|--------------------|-----------|
| Capacity (l) | 80 |
| Temperature (°C) | 160-220 |
| Control Switch | 1 |
| Gas | LPG |
| Gas Pressure (kpa) | 2.8-3 |
| Weight (kg) | 96.4 |
| Dim (LxWxH) (cm) | 105x60x97 |



Electric Fryer



| | EF-81 | EF-82 | WEF-171 | WEF-172 | AT-17LEA |
|------------------|------------|----------------|------------|----------------|------------|
| Power (kW/V/Hz) | 3.0/230/50 | 3.0+3.0/230/50 | 3.0/230/50 | 3.0+3.0/230/50 | 4.5/230/50 |
| Capacity (l) | 10 | 10+10 | 17 | 17+17 | 17 |
| Temperature (°C) | 60-200 | 60-200 | 60-200 | 60-200 | 60-250 |
| Timer (min) | - | - | 0-60 | 0-60 | 1 |
| Control Switch | 1 | 2 | 1 | 2 | 1 |
| Weight (kg) | 8 | 9.2 | 10 | 19 | 18.7 |
| Dim (LxWxH) (cm) | 28x44x32 | 57x44x33 | 30x52x37 | 61x52x37 | 50x65x45 |

Salamander

Power (kW/V/Hz)
Temperature (°C)
Control Switch
Weight (kg)
Dim (LxWxH) (cm)

EB-600

4.0/230/50

50-300

1

49

60x45x50



Noodle Cooker (Gas)



Noodle Cooker (Electric)



Power (kW/V/Hz)
Control Switch
Head
Tank Capacity (l)
Temperature (°C)
Weight (kg)
Dim (LxWxH) (cm)

MP-4H

4.0/230/50

2

4

15

30~110

13

42.5x60x39

MP-6H

6.0/230/50

3

6

15

30~110

17

60x60x39

MP-6QHX

Control Switch

3

Head

6

Tank Capacity (l)

15

Gas

LPG

Gas Pressure (kpa)

2.8

Weight (kg)

32

Dim (LxWxH) (cm)

60x69x93



Stir-Fry Stove



FSS-1

FSS-2

FSS-3

Burner

Cast Iron Burner

Burner Qty

1

2

3

Dim (LxWxH) (cm)

58x66x70+38

113x66x70+38

178x66x70+38

Barbecue Oven



VSK-702



TGG-720

Control Switch

2

2

Gas

LPG

LPG

Gas Pressure (kpa)

2.8

2.8-3

Weight (kg)

27.5

43

Dim (LxWxH) (cm)

107x40x25

73x57x57

Gas Griddle

Environmental Roaster



ET-K22

ET-K23



ET-K222

ET-K233

Control Switch

4

6

4

6

Gas

LPG

LPG

LPG

LPG

Gas Pressure (kpa)

2.8

2.8

2.8

2.8

Weight (kg)

24

27

11

14

Dim (LxWxH) (cm)

58x40x18

80x40x18

58x40x18

80x40x18

BAR & SNACK EQUIPMENT



Food Display Warmer



Power (kW/V/Hz)
Temperature (°C)
Type
Rack (pcs)
Weight (kg)
Dim (LxWxH) (cm)

| | MME-500H | FWS-2P | FWS-3P | FWS-601 |
|------------------|------------|------------|------------|------------|
| Power (kW/V/Hz) | 0.9/230/50 | 0.8/230/50 | 1.2/230/50 | 1.2/230/50 |
| Temperature (°C) | 50-110 | 30-85 | 30-85 | 30-85 |
| Type | Wet | Dry | Dry | Dry |
| Rack (pcs) | 5 | 2 | 2 | 3 |
| Weight (kg) | 24 | 21 | 29 | 30 |
| Dim (LxWxH) (cm) | 38x40x75 | 66x46x60 | 95x46x60 | 66x49x64.5 |

Egg Boiler



Power (kW/V/Hz)
Capacity (l)
Productivity (pcs)
Weight (kg)
Dim (LxWxH) (cm)

| | FEB-50 |
|--------------------|------------|
| Power (kW/V/Hz) | 0.8/230/50 |
| Capacity (l) | 9 |
| Productivity (pcs) | 50 |
| Weight (kg) | 4.3 |
| Dim (LxWxH) (cm) | 19x40x29 |

Bain Marie



Power (kW/V/Hz)
Temperature (°C)
GN Pan (pcs)
GN Pan (Size)
Weight (kg)
Dim (LxWxH) (cm)

| | BS-3V | BS-6V |
|------------------|------------|------------|
| Power (kW/V/Hz) | 1.5/230/50 | 1.5/230/50 |
| Temperature (°C) | 0-110 | 0-110 |
| GN Pan (pcs) | 3 | 6 |
| GN Pan (Size) | 1/3 | 1/3 |
| Weight (kg) | 10 | 19 |
| Dim (LxWxH) (cm) | 58x45x24 | 71x66x29 |

Induction Cooker



FIC-350H4F

FIW-350W4F

Power (kW/V/Hz)

3.5/230/50

3.5/230/50

Temperature (°C)

60~240

60~240

Controller

Touch Control

Touch Control

Timer (minutes)

0~180

0~180

Weight (kg)

6.2

6.5

Dim (LxWxH) (cm)

34x43x12

34x43x12

Waffle Baker



UWB-2

Power (kW/V/Hz)

1+1/230/50

Temperature (°C)

50-300

Blade (cm)

Ø17.8

Weight (kg)

17

Dim (LxWxH) (cm)

52x38x67

Popcorn Machine



EB-08

Power (kW/V/Hz)

1.3/230/50

Weight (kg)

20

Dim (LxWxH) (cm)

52x38x67



Water Boiler

| | WB-30 | WB-40 |
|------------------|------------|------------|
| Power (kW/V/Hz) | 3.0/230/50 | 3.0/230/50 |
| Capacity (l) | 30 | 40 |
| Temperature (°C) | 30-110 | 30-110 |
| Cup | 125 | 170 |
| Weight (kg) | 4.65 | 5.2 |
| Dim (LxWxH) (cm) | Ø39x42 | Ø44x55 |



Hot Water Dispenser



(made in Taiwan)

| | BQ-16L | SB-6000 |
|------------------|------------|------------|
| Power (kW/V/Hz) | 1.0/230/50 | 0.4/230/50 |
| Capacity (l) | 16 | 10 |
| Temperature (°C) | 100 | 35-95 |
| Weight (kg) | 12.5 | 4.8 |
| Dim (LxWxH) (cm) | 36x25x72 | Ø34x39 |

Soup Kettle



Cup Sealer

| | BF05 | QF08 |
|-----------------------|-------------|------------|
| Power (kW/V/Hz) | 0.35/230/50 | 0.4/230/50 |
| Type | Semi-Auto | Auto |
| Productivity (cups/h) | 300 | 400 |
| Cup Size (cm) | Ø7.5/9.5 | Ø7.5/9.5 |
| Weight (kg) | 13 | 26 |
| Dim (LxWxH) (cm) | 29x30x51 | 34x38x59 |



Conveyor Toaster

| | TT-300 |
|--------------------------|-------------|
| Power (kW/V/Hz) | 1.94/230/50 |
| Productivity (slices/hr) | 300-350 |
| Temperature (°C) | 50-300 |
| Control Switch | 1 |
| Weight (kg) | 16 |
| Dim (LxWxH) (cm) | 42x37x39 |



Hamburger Machine

| | HF-100 | HF-130 |
|------------------|----------|----------|
| Plate Size (cm) | Ø10 | Ø13 |
| Weight (kg) | 5.2 | 5.5 |
| Dim (LxWxH) (cm) | 29x21x27 | 29x21x27 |



Hot Dog Roller



| | RG-7 | RG-9C |
|------------------|------------|------------|
| Power (kW/V/Hz) | 0.7/230/50 | 0.9/230/50 |
| Temperature (°C) | 50-250 | 50-250 |
| Control Switch | 1 | 2 |
| Roller (pc) | 7 | 9 |
| Weight (kg) | 10 | 14 |
| Dim (LxWxH) (cm) | 44x36x20 | 58x39x41 |

