



|                    |                                 |
|--------------------|---------------------------------|
| Model              | <b>IZ-328</b>                   |
| Blade Length       | <b>305 mm</b>                   |
| Displacement       | <b>30.5 cc</b>                  |
| Standard Power     | <b>0.81 kw / 7500 rpm</b>       |
| Fuel Mixture       | <b>Gasoline 25L: 2-T Oil 1L</b> |
| Fuel Tank Capacity | <b>1.2 L</b>                    |
| Weight             | <b>9.5 kg</b>                   |



|                    |                                 |                                 |
|--------------------|---------------------------------|---------------------------------|
| Model              | <b>IZ-33</b>                    | <b>IZ-43</b>                    |
| Blade Length       | <b>305 mm</b>                   | <b>305 mm</b>                   |
| Displacement       | <b>32.6 cc</b>                  | <b>42.7 cc</b>                  |
| Standard Power     | <b>0.95 kw / 7500 rpm</b>       | <b>1.25 kw / 7500 rpm</b>       |
| Fuel Mixture       | <b>Gasoline 25L: 2-T Oil 1L</b> | <b>Gasoline 25L: 2-T Oil 1L</b> |
| Fuel Tank Capacity | <b>1.2 L</b>                    | <b>1.2 L</b>                    |
| Weight             | <b>10 kg</b>                    | <b>11 kg</b>                    |







| Model              | <b>IZ-1223-16</b>                            | <b>IZ-1223-18</b>                            | <b>IZ-1223-20</b>                            |
|--------------------|----------------------------------------------|----------------------------------------------|----------------------------------------------|
| Engine Type        | Single Cylinder,<br>Air-Cooling.<br>2 Stroke | Single Cylinder,<br>Air-Cooling.<br>2 Stroke | Single Cylinder,<br>Air-Cooling.<br>2 Stroke |
| Displacement       | 58 cc                                        | 58 cc                                        | 58 cc                                        |
| Fuel Mixing Ratio  | Gasoline 40:<br>Two cycle oil 1              | Gasoline 40:<br>Two cycle oil 1              | Gasoline 40:<br>Two cycle oil 1              |
| Power Rate         | 2.2 kw/8000 rpm                              | 2.2 kw/8000 rpm                              | 2.2 kw/8000 rpm                              |
| Guide Bar Size     | 16"                                          | 18"                                          | 20"                                          |
| Chain Pitch        | 0.325                                        | 3/8                                          | 3/8                                          |
| Idling Speed       | 2800~3200 rpm                                | 2800~3200 rpm                                | 2800~3200 rpm                                |
| Fuel Tank Capacity | 550 ml                                       | 550 ml                                       | 550 ml                                       |
| Net Weight         | 7.5 kg                                       | 7.5 kg                                       | 7.5 kg                                       |




*Handheld blowers are lighter in weight and easy to maneuver in light spaces. They are ideal for light-duty yard projects like blowing out flowerbeds and removing grass from sidewalks and smaller lawns. Backpack blowers provide added power to clear leaves, sand and debris from larger land areas.*

## HAND BLOWER



|                    |                            |
|--------------------|----------------------------|
| Model              | <b>IZ-1310</b>             |
| Average Air Volume | <b>0.13m<sup>3</sup>/s</b> |
| Standard Power     | <b>0.75 kw / 7500 rpm</b>  |
| Displacement       | <b>0.254 L</b>             |
| Weight             | <b>4.3 kg</b>              |





|                      |                                                       |
|----------------------|-------------------------------------------------------|
| Model                | <b>IZ-3010-45GE</b>                                   |
| Power                | 7 HP (Engine)                                         |
| Pressure             | 0~40 kg/cm <sup>2</sup>                               |
| Suction Volume       | 30~50 L/min                                           |
| Speed                | 800 - 1200 rpm                                        |
| Dimensions           | 61 x 56 x 43 cm                                       |
| G.Weight             | 33 kg                                                 |
| Standard Accessories | - Suction & Overflow Hose<br>- D-S7 90cm Straight Gun |

## Standard Accessories




Suction Hose



Overflow Hose

Straight Gun



|                      |                                                                    |
|----------------------|--------------------------------------------------------------------|
| Model                | <b>IZ-3010-45EM</b>                                                |
| Power                | 2.2 kw (3 HP) Motor                                                |
| Pressure             | 0~40 kg/cm <sup>2</sup>                                            |
| Suction Volume       | 30~50 L/min                                                        |
| Speed                | 800 - 1200 rpm                                                     |
| Dimensions           | 74 x 39 x 43 cm                                                    |
| G.Weight             | 44.5 kg                                                            |
| Standard Accessories | - Copper Nozzle<br>- Suction & Overflow Hose<br>- 8.5mm x 30m Hose |

## Standard Accessories



Yellow Hose



Suction Hose



Overflow Hose



Sprayer Copper Nozzle

## POWER SPRAYER

|                |                                 |
|----------------|---------------------------------|
| Model          | <b>IZ-3010-45</b>               |
| Pressure       | <b>0 - 40 kg/cm<sup>2</sup></b> |
| Suction Volume | <b>30 - 50 L/min</b>            |
| Speed          | <b>800 - 1200 rpm</b>           |
| Dimensions     | <b>39 x 30 x 34 cm</b>          |
| Weight         | <b>11 kg</b>                    |




## GASOLINE ENGINE



|                    |                            |
|--------------------|----------------------------|
| Model              | <b>IZ-5010-19K /19T</b>    |
| Speed              | <b>3000 - 3600 rpm</b>     |
| Max. Power Output  | <b>5.1 kw / 7 HP</b>       |
| Fuel Tank Capacity | <b>3.6 L</b>               |
| Connection         | <b>Key / Thread</b>        |
| Dimensions         | <b>38.5 x 32 x 34.5 cm</b> |
| Weight             | <b>14.3 kg</b>             |





| Model                       | <b>IZ-6520-50</b>     | <b>IZ-6520-75</b>     |
|-----------------------------|-----------------------|-----------------------|
| Max. Output                 | 7HP                   | 7HP                   |
| Water Inlet/Outlet Diameter | 2"                    | 3"                    |
| Max. Delivery Lift          | 22 m                  | 26 m                  |
| Suction Height              | 7 m                   | 7 m                   |
| Max. Water Displacement     | 30 m <sup>3</sup> /hr | 60 m <sup>3</sup> /hr |
| Dimensions                  | 48 x 38 x 40 cm       | 51 x 38 x 43.5 cm     |
| Weight                      | 21.8 kg               | 24 kg                 |