



Model	HZ-3050B-45
Pressure	0~40 kg/cm²
Suction Volume	32~46 L/min
Engine Power	6.5 HP / 7 HP
Dimensions	68 x 37 x 40 cm
Weight	29 kg



Model	HZ-3050D-45
Pressure	0~40 kg/cm²
Suction Volume	32~42 L/min
Engine Power	7 HP
Dimensions	57.5 x 40 x 43.5 cm
Weight	29 kg



Model	HZ-3060-100	HZ-3060-160
Pressure	0~40 kg/cm²	0~40 kg /cm²
Suction Volume	32~46 L/min	32~46 L/min
Engine Power	6.5 HP / 7 HP	6.5 HP / 7 HP
Tank Capacity / Hose	100 L / 30 m	160 L / 30 m
Dimensions	103.5 x 56 x 82 cm	109.5 x 61 x 84.5 cm
Weight	61/63 kg	68/70 kg



INFORMATION:
 Inlet Port : G1
 Outlet Port : G 1/4 / (G1)
 Overflow Port : G 1/2

Model	HZ-3010-45
Pressure	0~40 kg/cm²
Suction Volume	32~46 L/min
Speed	800~1200 rpm
Dimensions	42 x 31 x 33 cm
Weight	10.5 kg



INFORMATION:
 Inlet Port : G1
 Outlet Port : G 1/4 / (G1)
 Overflow Port : G 1/2

Model	HZ-3015-45
Pressure	0~40 kg/cm²
Suction Volume	32~46 L/min
Speed	800~1200 rpm
Dimensions	42 x 30.5 x 33 cm
Weight	11.6 kg



INFORMATION:
 Inlet Port : G1
 Outlet Port : G 1/4 / (G1)
 Overflow Port : G 1/2

Model	HZ-3035-45
Pressure	0~40 kg/cm²
Suction Volume	32~46 L/min
Speed	800~1200 rpm
Dimensions	42 x 31 x 33 cm
Weight	11.5 kg



INFORMATION:
 Inlet Port : G1
 Outlet Port : G 1/4 / G 1/2
 Overflow Port : G 1/2

Model	HZ-3030-60H
Pressure	0~60 kg/cm²
Suction Volume	38.5 L/min
Speed	800 rpm
Dimensions	39 x 34.5 x 41 cm
Require Power	3.0 kw & above
Weight	14.8 kg



INFORMATION:
 Inlet Port : G1 1/4
 Outlet Port : G 1/2 / G1
 Overflow Port : G 3/4

Model	HZ-3031-60H
Pressure	0~60 kg/cm²
Suction Volume	53 - 85 L/min
Speed	600 - 1000 rpm
Dimensions	46 x 35 x 38.5 cm
Require Power	7.0 kw & above
Weight	21 kg



INFORMATION:
 Inlet Port : G1 1/2
 Outlet Port : G 1/2 / G1 1/4
 Overflow Port : G 3/4

Model	HZ-3010-120
Pressure	0~40 kg/cm²
Suction Volume	71~116 L/min
Speed	600~1000 rpm
Dimensions	52.5 x 39 x 56 cm
Weight	31 kg



INFORMATION:
 Inlet Port : G2
 Outlet Port : G 1/2 / G 3/4 / G1 1/2
 Overflow Port : G1

Model	HZ-3010-160
Pressure	0~40 kg/cm²
Suction Volume	116~154.5 L/min
Speed	600~800 rpm
Dimensions	60 x 40 x 55 cm
Weight	43 kg



INFORMATION:
 Inlet Port : G2 1/2
 Outlet Port : G 3/4 / G2
 Overflow Port : G1

Model	HZ-3010-250
Pressure	0~40 kg/cm²
Suction Volume	190~250 L/min
Speed	600~800 rpm
Dimensions	72.5 x 47.5 x 45.5 cm
Weight	68.8 kg



Model	HZ-3010-45
Power	7HP Harz Gasoline Engine
Standard	- E2 Frame
Accessories	- D-S7 90 cm Straight Gun
	- Suction Hose
	- Overflow Hose



Model	HZ-3010-45
Power	1.5 kw - 2.2 kw Electric Motor
Standard	- E2 Frame
Accessories	- D-S7 90 cm Straight Gun
	- Suction Hose
	- Overflow Hose



Model	HZ-3010-45
Power	1.5 kw - 2.2 kw Electric Motor
Standard	- Heavy Duty Frame
Accessories	- 8.5 mm x 20 m Hose
	- Sprayer Copper Nozzle
	- Suction Hose
	- Overflow Hose

Standard Accessories



Suction Hose



Overflow Hose



Straight Gun

Standard Accessories



Yellow Hose



Suction Hose



Overflow Hose



Sprayer Copper Nozzle



Model	HZ-3035-45
Power	7HP Harz Gasoline Engine
Standard	- E2 Frame
Accessories	- D-H3 Thread Cleaning Gun
	- Suction Hose
	- Overflow Hose



Model	HZ-3035-45
Power	1.5 kw - 2.2 kw Electric Motor
Standard	- E2 Frame
Accessories	- D-H3 Thread Cleaning Gun
	- Suction Hose
	- Overflow Hose



Model	HZ-3035-45
Power	1.5 kw - 2.2 kw Electric Motor
Standard	- Heavy Duty Frame
Accessories	- D-H3 Thread Cleaning Gun
	- 8.5 mm x 20 m Hose
	- Suction Hose
	- Overflow Hose

Standard Accessories



Suction Hose



Overflow Hose



Thread Cleaning Gun

Standard Accessories



Yellow Hose



Suction Hose



Overflow Hose



Thread Cleaning Gun