

Gas Fryer



Capacity (l)	10	10+10	18	18+18
Temperature (°C)	-	-	60-220	60-220
Control Switch	1	2	1	2
Gas	LPG	LPG	LPG	LPG
Gas Pressure (kpa)	2.8-3	2.8-3	2.8-3	2.8-3
Weight (kg)	12.5	22	29	36
Dim (LxWxH) (cm)	29x47x48	58x47x48	34x63x65	68x66x65

GF-71	GF-72	GF-181	GF-182
10	10+10	18	18+18
-	-	60-220	60-220
1	2	1	2
LPG	LPG	LPG	LPG
2.8-3	2.8-3	2.8-3	2.8-3
12.5	22	29	36
29x47x48	58x47x48	34x63x65	68x66x65



BDH-17L	AT-12LX2	AT-17L
17	12+12	17
160-220	160-220	160-220
1	2	1
LPG	LPG	LPG
2.8-3	2.8-3	2.8-3
16.6	29	18.7
51x51x44	66x50x46	53x65x45

Capacity (l)	17
Temperature (°C)	160-220
Control Switch	1
Gas	LPG
Gas Pressure (kpa)	2.8-3
Weight (kg)	16.6
Dim (LxWxH) (cm)	51x51x44



MPT-23CJB	MPT-36JP	MPT-46JP
40	60	80
160-220	160-220	160-220
1	1	1
LPG	LPG	LPG
2.8-3	2.8-3	2.8-3
38	71	96.4
55x60x97	85x60x97	105x60x97

Capacity (l)	40
Temperature (°C)	160-220
Control Switch	1
Gas	LPG
Gas Pressure (kpa)	2.8-3
Weight (kg)	38
Dim (LxWxH) (cm)	55x60x97

BAR & SNACK EQUIPMENT



Electric Fryer



	EF-81	EF-82	WEF-171	WEF-172	AT-17LEA
Power (kW/V/Hz)	3.0/230/50	3.0+3.0/230/50	3.0/230/50	3.0+3.0/230/50	4.5/230/50
Capacity (l)	10	10+10	17	17+17	17
Temperature (°C)	60-200	60-200	60-200	60-200	60-250
Timer (min)	-	-	0-60	0-60	-
Control Switch	1	2	1	2	1
Weight (kg)	8	9.2	10	19	18.7
Dim (LxWxH) (cm)	28x44x32	57x44x33	30x52x37	61x52x37	50x65x45

Salamander

	EB-600
Power (kW/V/Hz)	4.0/230/50
Temperature (°C)	50-300
Control Switch	1
Weight (kg)	49
Dim (LxWxH) (cm)	60x45x50



Noodle Cooker (Gas)



Noodle Cooker (Electric)



	MP-4H	MP-6H
Power (kW/V/Hz)	4.0/230/50	6.0/230/50
Control Switch	2	3
Head	4	6
Tank Capacity (l)	15	15
Temperature (°C)	30~110	30~110
Weight (kg)	13	17
Dim (LxWxH) (cm)	42.5x60x39	60x60x39

	MP-6QHX
Control Switch	3
Head	6
Tank Capacity (l)	15
Gas	LPG
Gas Pressure (kpa)	2.8
Weight (kg)	32
Dim (LxWxH) (cm)	60x69x93

Stir-Fry Stove



FSS-1

FSS-2

FSS-3

Burner

Cast Iron Burner

Burner Qty

1

2

3

Dim (LxWxH) (cm)

58x66x70+38

113x66x70+38

178x66x70+38

Barbecue Oven



VSK-702

Control Switch

2

Gas

LPG

Gas Pressure (kpa)

2.8

Weight (kg)

27.5

Dim (LxWxH) (cm)

107x40x25

Gas Griddle



TGG-720

2

LPG

2.8-3

43

73x57x57

Environmental Roaster



ET-K22

ET-K23



ET-K222

ET-K233

Control Switch

4

6

4

6

Gas

LPG

LPG

LPG

LPG

Gas Pressure (kpa)

2.8

2.8

2.8

2.8

Weight (kg)

24

27

11

14

Dim (LxWxH) (cm)


58x40x18

80x40x18

58x40x18

80x40x18

BAR & SNACK EQUIPMENT



Food Display Warmer (Dry)



	FWS-2P	FWS-3P	FWS-601
Power (kW/V/Hz)	0.8/230/50	1.2/230/50	1.2/230/50
Temperature (°C)	30-85	30-85	30-85
Type	Dry	Dry	Dry
Rack (pcs)	2	2	3
Weight (kg)	21	29	30
Dim (LxWxH) (cm)	66x46x60	95x46x60	66x49x64.5

Food Display Warmer (Wet)



	MME-500H
Power (kW/V/Hz)	0.9/230/50
Temperature (°C)	50-110
Type	Wet
Rack (pcs)	5
Weight (kg)	24
Dim (LxWxH) (cm)	38x40x75

Egg Boiler



	FEB-50
Power (kW/V/Hz)	0.8/230/50
Capacity (l)	9
Productivity (pcs)	50
Weight (kg)	4.3
Dim (LxWxH) (cm)	19x40x29

Induction Cooker



FIC-350H4F

FIW-350W4F

Power (kW/V/Hz)

3.5/230/50

3.5/230/50

Temperature (°C)

60~240

60~240

Controller

Touch Control

Touch Control

Timer (minutes)

0~180

0~180

Weight (kg)

6.2

6.5

Dim (LxWxH) (cm)

34x43x12

34x43x12

Waffle Baker



UWB-2

Power (kW/V/Hz)

1+1/230/50

Temperature (°C)

50-300

Blade (cm)

Ø17.8

Weight (kg)

17

Dim (LxWxH) (cm)

52x38x67

Popcorn Machine



EB-08

Power (kW/V/Hz)

1.3/230/50

Weight (kg)

20

Dim (LxWxH) (cm)

52x38x67

BAR & SNACK EQUIPMENT



Bain Marie

	BS-3V	BS-6V
Power (kW/V/Hz)	1.5/230/50	1.5/230/50
Temperature (°C)	0-110	0-110
GN Pan (pcs)	3	6
GN Pan (Size)	1/3	1/3
Weight (kg)	10	19
Dim (LxWxH) (cm)	58x45x24	71x66x29



Water Boiler

	WB-30	WB-40
Power (kW/V/Hz)	3.0/230/50	3.0/230/50
Capacity (l)	30	40
Temperature (°C)	30-110	30-110
Cup	125	170
Weight (kg)	4.65	5.2
Dim (LxWxH) (cm)	Ø39x42	Ø44x55



Hot Water Dispenser



(made in Taiwan)

	BQ-16L
Power (kW/V/Hz)	1.0/230/50
Capacity (l)	16
Temperature (°C)	100
Weight (kg)	12.5
Dim (LxWxH) (cm)	36x25x72

Soup Kettle



	SB-6000
Power (kW/V/Hz)	0.4/230/50
Capacity (l)	10
Temperature (°C)	35-95
Weight (kg)	4.8
Dim (LxWxH) (cm)	Ø34x39

Cup Sealer

	BF05	QF08
Power (kW/V/Hz)	0.35/230/50	0.4/230/50
Type	Semi-Auto	Auto
Productivity (cups/h)	300	400
Cup Size (cm)	Ø7.5/9.5	Ø7.5/9.5
Weight (kg)	13	26
Dim (LxWxH) (cm)	29x30x51	34x38x59



Hamburger Machine

	HF-100	HF-130
Plate Size (cm)	Ø10	Ø13
Weight (kg)	5.2	5.5
Dim (LxWxH) (cm)	29x21x27	29x21x27



Conveyor Toaster



	TT-300
Power (kW/V/Hz)	1.94/230/50
Productivity (slices/hr)	300-350
Temperature (°C)	50-300
Control Switch	1
Weight (kg)	16
Dim (LxWxH) (cm)	42x37x39

Hot Dog Roller



	RG-9C
Power (kW/V/Hz)	0.9/230/50
Temperature (°C)	50-250
Control Switch	2
Roller (pc)	9
Weight (kg)	14
Dim (LxWxH) (cm)	58x39x41

BAR & SNACK EQUIPMENT

