



Model	IZ-328
Blade Length	305 mm
Displacement	30.5 cc
Standard Power	0.81 kw / 7500 rpm
Fuel Mixture	Gasoline 25L: 2-T Oil 1L
Fuel Tank Capacity	1.2 L
Weight	9.5 kg



Model	IZ-33	IZ-43
Blade Length	305 mm	305 mm
Displacement	32.6 cc	42.7 cc
Standard Power	0.95 kw / 7500 rpm	1.25 kw / 7500 rpm
Fuel Mixture	Gasoline 25L: 2-T Oil 1L	Gasoline 25L: 2-T Oil 1L
Fuel Tank Capacity	1.2 L	1.2 L
Weight	10 kg	11 kg





Model	IZ-1223-16	IZ-1223-18	IZ-1223-20
Engine Type	Single Cylinder, Air-Cooling. 2 Stroke	Single Cylinder, Air-Cooling. 2 Stroke	Single Cylinder, Air-Cooling. 2 Stroke
Displacement	58 cc	58 cc	58 cc
Fuel Mixing Ratio	Gasoline 40: Two cycle oil 1	Gasoline 40: Two cycle oil 1	Gasoline 40: Two cycle oil 1
Power Rate	2.2 kw/8000 rpm	2.2 kw/8000 rpm	2.2 kw/8000 rpm
Guide Bar Size	16"	18"	20"
Chain Pitch	0.325	3/8	3/8
Idling Speed	2800~3200 rpm	2800~3200 rpm	2800~3200 rpm
Fuel Tank Capacity	550 ml	550 ml	550 ml
Net Weight	7.5 kg	7.5 kg	7.5 kg



Handheld blowers are lighter in weight and easy to maneuver in light spaces. They are ideal for light-duty yard projects like blowing out flowerbeds and removing grass from sidewalks and smaller lawns. Backpack blowers provide added power to clear leaves, sand and debris from larger land areas.



HAND BLOWER



Model	IZ-1310
Average Air Volume	0.13m³/s
Standard Power	0.75 kw / 7500 rpm
Displacement	0.254 L
Weight	4.3 kg



Model	IZ-3010-45GE
Power	7 HP (Engine)
Pressure	0~40 kg/cm ²
Suction Volume	30~50 L/min
Speed	800 - 1200 rpm
Dimensions	61 x 56 x 43 cm
G.Weight	33 kg
Standard Accessories	- Suction & Overflow Hose - D-S7 90cm Straight Gun



Model	IZ-3010-45EM
Power	2.2 kw (3 HP) Motor
Pressure	0~40 kg/cm ²
Suction Volume	30~50 L/min
Speed	800 - 1200 rpm
Dimensions	74 x 39 x 43 cm
G.Weight	44.5 kg
Standard Accessories	- Copper Nozzle - Suction & Overflow Hose - 8.5mm x 30m Hose



POWER SPRAYER



Model	IZ-3010-45
Pressure	0 - 40 kg/cm²
Suction Volume	30 - 50 L/min
Speed	800 - 1200 rpm
Dimensions	39 x 30 x 34 cm
Weight	11 kg

GASOLINE ENGINE



Model	IZ-5010-19K /19T
Speed	3000 - 3600 rpm
Max. Power Output	5.1 kw / 7 HP
Fuel Tank Capacity	3.6 L
Connection	Key / Thread
Dimensions	38.5 x 32 x 34.5 cm
Weight	14.3 kg



Model	IZ-6520-50	IZ-6520-75
Max. Output	7HP	7HP
Water Inlet/Outlet Diameter	2"	3"
Max. Delivery Lift	22 m	26 m
Suction Height	7 m	7 m
Max. Water Displacement	30 m³/hr	60 m³/hr
Dimensions	48 x 38 x 40 cm	51 x 38 x 43.5 cm
Weight	21.8 kg	24 kg